

# PROFILE60

TWIN FILTER HALF MASK





## PROFILE 60

### TWIN FILTER HALF MASK


*Profile60 is a premium half mask which has been designed to provide ultimate levels of comfort and safety. The clear facepiece is shaped to seal easily, without pressure, and to maintain that seal throughout use. Profile60 utilises Pro<sup>2</sup> twin filters which are designed to provide excellent balance and to maximise duration.*

*Head movements are absorbed by bellows folds in the facepiece to prevent slippage or leaks at the seal, and the fast-don harness keeps the mask comfortable and secure. The ribs inside the nosebridge seal without gripping, to ensure no outward leakage towards the eyes. This make Profile60 particularly well suited for use with spectacles or goggles. In fact, Profile60 will fit comfortably and unobtrusively with most other types of PPE.*

#### **Profile60 premium half mask:**

- Available in two sizes
- LSR silicone facepiece
- Broad, easy-fit facesal
- Fast don harness
- Twin filters (Pro<sup>2</sup>)





## PROFILE 60

The Profile60 facepiece is moulded in Liquid Silicone Rubber (LSR), combining the comfort and flexibility of silicone with durability and a long service life.

LSR injection moulding prevents silicone vapour release, making the Profile60 suitable for use in paint-spray areas and the slide-through harness provides fast and easy fitting and a convenient rest position.

The wide, flat face seal is similar to that used on full facemasks, making it easy to achieve an efficient and comfortable seal. The bellows sections at the nose and chin absorb movement to ensure the seal is not disrupted during use.

Profile60 accepts the Pro<sup>2</sup> range of cartridge filters, which have individual covers to maximise working life by protecting the filter media from splashes, sparks and contaminant.

TECHNICAL DATA	
<b>Weight:</b>	
Size S/M:	169 g
Size M/L:	187 g
<b>Material Data:</b>	
Facepiece:	Liquid Silicone Rubber
Shell:	ABS
Filter Sealing Washer	TPE
Valve Seats:	PBT
Seat Ratchet Washer	Acetal
Inhalation Valve Disc:	EPDM
Exhalation Valve Disc:	Natural Rubber
Exhalation Valve Cover:	Polyethylene
Harness :	Elastic PES-band
<b>Approvals:</b>	
Profile60 and Pro <sup>2</sup> filters are fully approved and CE certified to EN140, EN14387:2004, EN 143. Profile60 EC-type examined by INSPEC, NBN 0194, CE 0194, Nr. EC1448. Pro <sup>2</sup> filters EC-type examined by BGIA, ID:0121. CE 0121, Nr. 0501022.	



ORDERING DETAILS	
032080	Profile60 M/L, silicone
032081	Profile60 S/M, silicone



## Pro<sup>2</sup> Twin Filters

Supplied in pairs for use with Scott twin half mask and full facemask respirators, Pro<sup>2</sup> cartridge filters provide a broad choice of types to meet a wide range of respiratory hazards.



Using the very latest manufacturing technology and highest quality media, each Pro<sup>2</sup> filter also has a unique protective cover with rear facing grill inlet, maximising working life by protecting the filter media from splashes, sparks and contaminants. Pro<sup>2</sup> particle and combined filters use microfibre filter media and do not use any electrostatic filtering methods.

Pro<sup>2</sup> filters are fully EN approved to the latest standards, marked 'R' for re-usable, CE marked. CE Approval: EN143, EN14387.

### PRO<sup>2</sup> filters

Colour Code	Code	Filter type	Application
<b>Particle filter</b>			
	(1 pair)		
	053070	Pro <sup>2</sup> P3	Solid and liquid hazardous and radioactive particles, microorganisms, e.g. bacteria and viruses.
<b>Gas filters</b>			
	044070	Pro <sup>2</sup> A1	Gases and vapours from organic compounds with a boiling point above 65°C (class 1).
	044071	Pro <sup>2</sup> A2	Gases and vapours from organic compounds with a boiling point above 65°C (class 2).
	044072	Pro <sup>2</sup> A1B1E1	Organic, inorganic and acidic gases and vapours.
	044073	Pro <sup>2</sup> A1B1E1K1	Organic, inorganic and acidic gases and vapours and ammonia.
<b>Combined filters</b>			
	044080	Pro <sup>2</sup> A1-P3	Gases and vapours from organic compounds with a boiling point above 65°C (class 1) and solid and liquid hazardous particles.
	044081	Pro <sup>2</sup> A2-P3	Gases and vapours from organic compounds with a boiling point above 65°C (class 2 for longer duration) and solid and liquid hazardous particles.
	044082	Pro <sup>2</sup> A1B1E1-P3	Organic, inorganic and acidic gases and vapours and solid and liquid hazardous particles.
	044083	Pro <sup>2</sup> A1B1E1K1-P3	Organic, inorganic and acidic gases and vapours, ammonia and solid and liquid hazardous particles.



Thank you for reading this data sheet.

Please contact us for a quotation:



Head Office (UK)

P.O. Box 2124  
Chelmsford  
Essex CM1 3UP  
England

Tel: +44 (0)1245 600 560  
Fax: +44 (0)1245 600 030

Email:

General Information/Sales:  
[info@keison.com](mailto:info@keison.com)

Accounts Department:  
[accounts@keison.com](mailto:accounts@keison.com)



Switzerland Office

Zugerstrasse 46  
6314 Unterägeri  
Zug  
Switzerland

Tel: +41 41 541 5877  
Fax: +41 41 541 5878

Email:

General Information/Sales:  
[info@kesn.ch](mailto:info@kesn.ch)

Accounts Department:  
[accounts@kesn.ch](mailto:accounts@kesn.ch)



USA Office

233 Rogue River Highway #425  
Grants Pass  
Oregon 97527-5429  
USA

Tel: +1 503 206 0941  
Fax: +1 541 610 1646

Email:

General Information/Sales:  
[info@keison.com](mailto:info@keison.com)

Accounts Department:  
[accounts@keison.com](mailto:accounts@keison.com)



Latin America Office

World Trade Centre  
Apartado 0832-00708  
Ciudad de Panamá  
República de Panamá

Tel: +507 836 5304  
Fax: +507 399 1804

Email:

General Information/Sales:  
[ventas@keison.com](mailto:ventas@keison.com)

Accounts Department:  
[cuentas@keison.com](mailto:cuentas@keison.com)